


Lever and Knob Handles



forged brass lever handles

SB201-A	LE4
SB202-A	LE4
SB203-C	LE5
SB204-A	LE5
SB205-A	LE5
SB206-A	LE6
SB207-A	LE6
SB208-L	LE7
SB209-K	LE7
SB210-A	LE7
SB211-P	LE8
SB212-A	LE8
SB213-C	LE9
SB214-A	LE9
SB215-A	LE9
SB216-A	LE10
SB217-J	LE10
SB219-A	LE11
SB220-A	LE11
SB221-A	LE11
SB222-A	LE12
SB223-H	LE12
SB225-A	LE13
SB226-A	LE13
SBK801-A	LE16
SBK802-C	LE16
SBK803-A	LE16
SBK804-A	LE16
SBK805-P	LE16
SBK806-K	LE16
Roses	LE17
Escutcheons	LE18
5 Series Rose & Cylinder Escutcheons for Set	LE21
5 Series Bracket	LE22
How to order	LE24
Installation Instructions	LE25-27
Information	LE28-29
Fix Back Plate	LE30
AT Series	LE30
Finishes	LE31-33

	SB Series	LE4-13										
	SBK Series	LE16										
	Roses	LE17										
	Escutcheons	LE18										
	5 Series	LE21-23										
<table border="1"><thead><tr><th>Lever Set</th><th>Lock</th><th>Cylinder</th><th>Finish</th><th>Door Thickness (D/T)</th></tr></thead><tbody><tr><td> SB223-SH-SHE</td><td> 4650-60</td><td> 46225-D</td><td>F21 Bright Chrome</td><td>50 50mm</td></tr></tbody></table>	Lever Set	Lock	Cylinder	Finish	Door Thickness (D/T)	 SB223-SH-SHE	 4650-60	 46225-D	F21 Bright Chrome	50 50mm	How to order	LE24
Lever Set	Lock	Cylinder	Finish	Door Thickness (D/T)								
 SB223-SH-SHE	 4650-60	 46225-D	F21 Bright Chrome	50 50mm								
	Installation Instructions	LE25-27										
<table><tr><td> 41 28 35~45 D/T</td><td> 45 28 45~55 D/T</td><td> N 39 35~45 D/T</td><td> N 44 45~55 D/T</td></tr></table>	 41 28 35~45 D/T	 45 28 45~55 D/T	 N 39 35~45 D/T	 N 44 45~55 D/T	Information	LE28-29						
 41 28 35~45 D/T	 45 28 45~55 D/T	 N 39 35~45 D/T	 N 44 45~55 D/T									
	Fixing Back Plate, AT Series	LE30										
 NEW	Finishes	LE31-33										

SB SERIES

Brass Lever Handle

Standard Finishes:
F21, F22, F91~F102,
F91T~F108T, PVD

SB201-A




F96T




F101

SB202-A



F93T



F106T

SB203-C



F102T




F91

SB204-A



F21



F97T

SB205-A



F17



F305

SB SERIES

Brass Lever Handle

Standard Finishes:
F21, F22, F91~F102,
F91T~F108T, PVD

SB206-A




F100T




F99R

SB207-A




F94T




F104T

SB208-L




F22



F302

SB209-K




F107T



F307

SB210-A



F96T




F99

SB SERIES

Brass Lever Handle

Standard Finishes:
F21, F22, F91~F102,
F91T~F108T, PVD

SB211-P



F104T



F101

SB212-A




F94T



F108T

SB213-C



F106T



F22

SB214-A




F306



F305

SB215-A



F102T



F93

SB SERIES

Brass Lever Handle

Standard Finishes:
F21, F22, F91~F102,
F91T~F108T, PVD

SB216-A




F100



F17

SB217-J



F104T



F21

SB219-A



F307



F305

SB220-A




F101



F108T

SB221-A



F106T



F96T

SB SERIES

Brass Lever Handle

Standard Finishes:
F21, F22, F91~F102,
F91T~F108T, PVD

SB222-A




F91




F22

SB223-H




F99R



F307

SB225-A



F104T




F100T

SB226-A



F97T




F302


SB SERIES

Brass Lever Handle


Dimensions
in millimeters




SB201-A




SB202-A




SB203-C




SB204-A




SB205-A




SB206-A




SB207-A




SB208-L




SB209-K



SB210-A



SB211-P




SB212-A


SB SERIES

Brass Lever Handle


Dimensions
in millimeters




SB213-C




SB214-A




SB215-A




SB216-A




SB217-J




SB219-A




SB220-A




SB221-A




SB222-A



SB223-H



SB225-A



SB226-A

SBK SERIES

Knobset

Standard Finishes:
F21, F22, F91~F102,
F91T~F108T, PVD

SBK801-A



F101

SBK802-C



F106T

SBK803-A



F96T

SBK804-A



F94T

SBK805-P



F97

SBK806-K




F102


SBK SERIES

Knobset


Dimensions
in millimeters




SBK801-A




SBK802-C




SBK803-A



SBK804-A



SBK805-P



SBK806-K

ROSES

The trim design to be chosen from Rose design A - S

A



C




H



J



K



L



M



N




P



Q



S **NEW**



ESCUTCHEONS

Cylinder Escutcheon

The trim design to be chosen from Rose design AE - SE

AE



CE



HE



JE



KE



LE



ME



NE



PE



QE



SE

NEW




ROSES


Dimensions
in millimeters




Cassette Component




A




C




H



J





K




L

ROSES


Dimensions
in millimeters




M




N



P



Q



S

NEW

5 SERIES

Rose &
Cylinder Escutcheon



Outside



Inside



Outside



Inside

5 SERIES

Rose &
Cylinder Escutcheon

Rose design A & H

Bracket



Rose Bracket



Cylinder Escutcheon Bracket

5-A

Rose Cover



5-AE

Cylinder Escutcheon Cover



5-H

Rose Cover




5-HE

Cylinder Escutcheon Cover




5 SERIES

Dimensions
in millimeters





Top View




Template for 5 Series Bracket


Bracket




Rose




Cylinder Escutcheon




5-A



5-H





5-AE



5-HE

How to Order

EXAMPLE 1 : SB223-5H-5HE-4650-60-4622S-D-F21-50DT

	Lever Set	Lock	Cylinder	Finish	Door Thickness (D/T)
	SB223-5H-5HE	4650-60	4622S-D	F21	50
				Bright Chrome	50mm

EXAMPLE 2 : SB220-M-5091R-60-F21-45DT

	Lever Set	Latch	Backset	Finish	Door Thickness (D/T)
	SB220-M	5091R	60	F21	45
			60mm	Bright Chrome	45mm

EXAMPLE 3 : SB210-A-CLQ-05-F22-50DT

	Lever Set	Lock	Function Number	Finish	Door Thickness (D/T)
	SB210-A	CLQ	05	F22	50
			Entrance	Satin Nickel	50mm


EXAMPLE 4 : SB203-C-CE-4626-70-4622S-A-F21-55DT

	Lever Set	Lock	Cylinder	Finish	Door Thickness (D/T)
	SB203-C-CE	4626-70	4622S-A	F21	55
				Bright Chrome	55mm


Installation Instruction

For Example 1


1




2




3



4




5



Installation Instruction


For Example 3



1. Install the lockcase by inserting it into the cutout of the door.
2. Secure the outside cylinder and inside turn-piece to the lockcase by inserting the long retainer pins from the plate side.
3. Insert the square spindle into the hub.
4. Place the fixing brackets onto the door and fix them by tightening up two sets of (male and female screws) as shown in the diagram.
5. Reinforce and secure the fixing brackets by additional screws.
6. Secure the outside and inside lever to the fixing brackets. Tighten the levers to the square spindle with the little thread screw.
7. Finally, install the armored front.

Installation Instruction

For Example 4



1. Install the lockcase by inserting it into the cutout of the door.
2. Insert the square spindle into the hub.
3. Place the fixing brackets onto the door and fix them by tightening up two sets of screws.
4. Reinforce and secure the fixing brackets by additional screws.
5. Secure the outside and inside lever to the fixing brackets. Tighten the levers to the square spindle with the little thread screw.
6. Place the fixing brackets onto the door and fix them by tightening up four screws.
7. Insert the cylinder through the cylinder escutcheons.
8. Finally, install the armored front.






Information

The series below are recommended to use with **BONCO** lever handles and roses.




Series	Backset	Door Thickness	Strike Plate	Photo	Spindle
5091SS or 5091SSN Spring Latch	60&70 mm	35~55mm	 35~45 D/T 45~55 D/T 35~45 D/T 45~55 D/T	 Latch: Stainless Steel, Reversible Face & Strike Plate: Stainless Steel	AA
5091E or 5091EN Spring Latch	60&70 mm	35~55mm	 35~45 D/T 45~55 D/T 35~45 D/T 45~55 D/T	 Latch: Zinc Alloy, Reversible Face & Strike Plate: Stainless Steel	AA
 5091R or 5091RN Spring Latch with Spring Hub	60&70mm	35~55mm	 35~45 D/T 45~55 D/T 35~45 D/T 45~55 D/T	 Latch: Stainless Steel, Reversible Face & Strike Plate: Stainless Steel	AA
LL Series	50mm	40~50mm			AA

Series	Backset	Door Thickness	Strike Plate	Photo	Spindle
CL Series	50mm	45~55 mm			AA
CLQ Series	70 mm	45~55 mm			AA
4626 Series	60&70mm	35~55mm	  35~45 D/T 45~55 D/T		AA
4650 Series	60&70mm	35~55mm	  35~45 D/T 45~55 D/T		AA
4653 Series	60&70mm	35~55mm	  35~45 D/T 45~55 D/T		AL/AR

Fixing Back Plate

Model	Photo	Dimension in mm	Used for
4681-BP			For 4900 Series Dummy Fixing
SBG-BP			For SB, HS & NL Series Levers Handle Dummy Fixing
SBG-BPD			For SBG, HSG & NLG Series Levers Handle Dummy Fixing
5-BP			For 5 Series Covers Dummy Fixing (door thickness must be over 38mm)

Aid Tool - AT Series

Model	Photo	Dimensions in mm	Used for
AT-01			For 49000 Series: 49901, 49903 & 49905
AT-02			For Cylinder Escutcheon: SB, HS & 5 Series Covers

Electroplate Finishes List

BONCO	Description	BONCO	Description
	F21 Bright chrome		F22 Satin nickel

BPC Finishes List

BONCO	Description	BONCO	Description
	F91 Matt black powder coating		F91T Matt black powder coating with rough surface
	F93 Matt white powder coating		F93T Matt white powder coating with rough surface
	F94T Matt light grey powder coating with rough surface		F96T Matt dark grey powder coating with rough surface
	F97 Matt brown powder coating		F97T Matt brown powder coating with rough surface
	F99 Matt champagne silver powder coating		F99R Rough touch champagne silver powder coating

BONCO	Description	BONCO	Description
	F100 Matt silver grey powder coating		F100T Matt silver grey powder coating with rough surface
	F101 Matt champagne gold powder coating		F102 Matt antique brass gold powder coating
	F102T Matt antique brass gold powder coating with rough surface		F104T Matt light green powder coating with rough surface
	F105T Matt dark green powder coating with rough surface		F106T Matt light blue powder coating with rough surface
	F107T Matt dark blue powder coating with rough surface		F108T Matt rose gold powder coating with rough surface

PVD Finishes List NEW

BONCO	Description	BONCO	Description
	F16 Polished brass		F17 Brushed brass
	F301 Polished bronze		F302 Brushed bronze
	F303 Brushed chrome		F304 Red gold
	F305 Brushed red gold		F306 Polished black chrome
	F307 Brushed black chrome		F308 Steel optic
	F310 Polished nickel		F311 Gold optic
	F316 Brushed nickel		



Name of quality & dependability

www.boncohardware.com

BONCO Ironmongery Ltd.
Member of E. Bon Holdings Ltd. (HKEx stock code 599)

18/F, First Commercial Building, 33 Leighton Rd., Causeway Bay, H.K.
Tel : (852) 2891 2188 Fax : (852) 2834 2652

