



A Swiss Company

D I S T R I B U T E D   B Y   E B O N   B U I L D I N G   S U P P L I E S





Nikles Technologies



#### AIRDROP SYSTEM

Experience a gentle, uplifting feeling that envelopes the body. Delivering a rejuvenating spray that is soft and gentle on the skin. Airdrop showers operate quietly and save water at the same time.



BOOSTER MASSAGE


#### BOOSTER TECHNOLOGY

Switch to wellness! Enjoy the powerful massaging shower spray that exhilarates the body and awakes the senses. Nikles booster technology creates the sensation of a full shower regardless of the water pressure.



#### ECOCOMFORT


Save water without compromising shower comfort. The highly efficient 6 liters per minute showers not only reward you with a good ecological conscience but also with a shower experience without compromise.



CLICK-POSITION SYSTEM

#### CLICK-POSITION-SYSTEM


All Nikles multifunction showers feature the convenient click mechanism. You feel and hear the click when changing the function of the shower sprays.



MIRROR CHROME

#### MIRROR CHROME


Super polished - mirror like surface? Our state of the art chrome plating technology produces mirror like surfaces. The resulting ultra smooth surface prevents the buildup of lime and residues on the NIKLES shower systems.



EASY TO CLEAN

#### EASY TO CLEAN

Swipe away residues with a flick of your finger.



THERMO INSULATION

#### THERMO INSULATION

Insulated shower systems prevent scalding and prevent accumulation of residues. This saves you much cleaning time and the use of harsh chemicals.



#### AUTO ON/OFF

Rainlight / Rainbow lights switch on automatically, when you turn on the water. Lights continue for two minutes after you shut off the NIKLES rainlight showers. An extra bit of quality time.





■ Shower System



## Thermostatic Shower System Single Lever Shower System

### ■ Pure Thermostatic System A53TH.00.000.05N

#### Thermostat: Pure

- Thermostatic mixer, DN 15 (G1/2") for wall installation
- Thermostatic body in brass
- Feel Cool - Nikles safety housing in ABS with scalding protection
- Thermostatic cartridge with scalding protection and safety stop at 38°C
- Easy Selector 2-Way Diverter cartridge with shut-off function
- S-Connections
- Chrome-plated

#### Shower hose:

- Chrome-plated EN 1113 150 cm hose with swivel



Pure Thermostat  
A53TH.00.000.05N



Pure Shower System with Single Lever Mixer  
A53SL.00.000.05N



### ■ Style Single Lever System A72SL.00.000.05N

#### Single Lever Mixer: Techno

- SL mixer, DN 15 (G1/2") for wall installation
- Body in brass
- Feel Cool - Nikles safety housing in ABS with scalding protection
- Ceramic disc cartridge Ø35mm
- Easy selector 2-way diverter cartridge
- S-Connections
- Chrome-plated

#### Shower hose:

- Chrome-plated EN 1113 150 cm hose with swivel



Techno Single Lever Mixer  
A72SL.00.000.05N



## Shower System: PURE


### Pure Shower System 1 A53.00.000.05N

#### System:

- Patented telescopic wall connection  $M\frac{1}{2}"$ ,  $\pm 4$  mm,  $\pm 2.5^\circ$
- 3 Way diverter: shower head, hand shower, or shower head and hand shower combined
- Adjustable wall mounts
- Firm slidebar traction

#### Shower hose:

- Chrome-plated EN 1113 150 cm hose with swivel




### Pure Shower System 6 A53MS.00.000.05N

#### System:

- Connect to existing taps and fittings or bracket for wall installation
- Patented telescopic wall connection  $M\frac{1}{2}"$ ,  $\pm 4$  mm,  $\pm 2.5^\circ$
- 3 Way diverter, shower head or hand shower or shower head and hand shower combined
- Firm slidebar traction
- Adjustable wall mounts

#### Shower hose:

- Chrome-plated EN 1113 150 cm hose with swivel
- Connecting hose: chrome-plated EN 1113 75 cm hose with swivel



## Shower System: ARCHITECT 18

### Shower System Architect 18-1 A57.00.000.05N

#### System:

- Patented telescopic wall connection M $\frac{1}{2}$ ",  $\pm 4$  mm,  $\pm 2.5^\circ$
- $\varnothing 18$  mm
- 3 Way diverter, shower head or hand shower or shower head and hand shower combined
- Firm slidebar traction

#### Shower hose:

- Chrome-plated EN 1113 150 cm hose with swivel



### Shower System Architect 18-6 A57MS.00.000.05N

#### System:

- Patented telescopic wall connection M $\frac{1}{2}$ ",  $\pm 4$  mm,  $\pm 2.5^\circ$
- $\varnothing 18$  mm
- 3 Way diverter, shower head or hand shower or shower head and hand shower combined
- Firm slidebar traction

#### Shower hose:

- Chrome-plated EN 1113 150 cm hose with swivel
- Connecting hose: chrome-plated EN 1113 75 cm hose with swivel





## Shower System: ARCHITECT 18 / FRESH

### Shower System Architect 18-7 A57DE.00.000.05N

#### System:

- Patented telescopic wall connection M1/2",  $\pm 4$  mm,  $\pm 2.5^\circ$
- $\varnothing 18$  mm
- 3 Way diverter, shower head or hand shower or shower head and hand shower combined
- Firm slidebar traction

#### Shower hose:

- Chrome-plated EN 1113 150 cm hose with swivel



### Fresh Shower System 1 D65.01.012.05F

#### Head Shower: Fresh Round 200

- Minimalistic design
- Fully chrome-plated
- $\varnothing 200$  mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Energy saving
- Flow regulator included

#### Handshower: Fresh 95 3S Massage

- Strict minimalistic design - consequent lines - timeless
- $\varnothing 95$  mm
- 3 adjustable sprays: rain, hard rain, and booster massage function
- Intelligent water distribution - lowest water consumption without loss of comfort
- Energy efficient
- Flow limited to 12 l/min
- Chrome plated

#### System:

- Water inlet on lower bracket (concealed)
- Mobile fixation bracket
- 2 Way diverter: shower head or hand shower
- Firm slidebar traction

#### Shower hose:

- Chrome-plated EN 1113 150 cm hose with swivel

#### Soap dish:

- Soap dish crystal



## Shower System: FRESH

### ■ Fresh Shower System 6 D65MS.01.012.05F

#### Head Shower: Fresh Round 200

- Minimalistic design
- Fully chrome-plated
- Ø 200 mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Energy saving
- Flow regulator included

#### Handshower: Fresh 95 3S Massage

- Strict minimalistic design - consequent lines - timeless
- Ø 95 mm
- 3 adjustable sprays: rain, hard rain, and booster massage function
- Intelligent water distribution - lowest water consumption without loss of comfort
- Energy efficient
- Flow limited to 12 l/min
- Chrome plated

#### System:


- Connect to existing taps and fittings or bracket for wall installation
- Mobile fixation bracket
- 2 Way diverter: shower head or hand shower
- Firm slidebar traction

#### Shower hose:

- Chrome-plated EN 1113 150 cm hose with swivel

#### Soap dish:

- Soap dish crystal



### ■ Fresh Shower System 7 D65DE.01.012.05F

#### Head Shower: Fresh Round 200

- Minimalistic design
- Fully chrome-plated
- Ø 200 mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Energy saving
- Flow regulator included

#### Handshower: Fresh 95 3S Massage

- Strict minimalistic design - consequent lines - timeless
- Ø 95 mm
- 3 adjustable sprays: rain, hard rain, and booster massage function
- Intelligent water distribution - lowest water consumption without loss of comfort
- Energy efficient
- Flow limited to 12 l/min
- Chrome plated

#### System:

- Water inlet from faucet, top outlet
- Mobile fixation bracket
- 2 Way diverter: shower head or hand shower
- Firm slidebar traction

#### Shower hose:

- Chrome-plated EN 1113 150 cm hose with swivel

#### Soap dish:

- Soap dish crystal



■ Shower Kits





## Shower System Architect 24-2 A66.00.021T.05N

### Handshower: Techno 120 Clean


- Strict minimalistic design
- Chrome-plated spray plate
- Ø 120 mm
- Intelligent water distribution - lowest water consumption without the loss of comfort
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Chrome-plated

### System:

- Connect to an existing tap or wall elbow with hose
- Patented telescopic wall connection M1½", ± 4 mm, ± 2.5°
- Ø 24 mm 90 cm
- Slide bar with integrated wall elbow
- Adjustable wall mounts

### Shower hose:

- Chrome-plated EN 1113 150 cm hose with swivel



## XL Space 120 Kit A758.NX.08B.05N

### Handshower: XL Space 120 4S Blade


- Contemporary organic form
- Ø 120 mm
- Intelligent water distribution - lowest water consumption without the loss of comfort
- 4 adjustable sprays: rain, air, booster massage, and cascade function
- Click-Position-System
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Chrome-plated

### Shower Rail: Space Slide Bar 90 cm

- Contemporary organic form
- 90 cm
- Ergonomic slider with comfortable release button
- Firm slide bar traction
- Easy installation
- Adjustable wall mounts
- Chrome-plated brass
- Chrome-plated slider

### Shower hose:

- Chrome-plated EN 1113 150 cm hose with swivel



## XL Techno 95 3S Kit A755.TX.042.05N

### Handshower: XL Techno 95 3S Massage


- Ultra slim, minimalistic and timeless design
- Ø 95 mm
- 3 adjustable sprays: rain, hard rain, and revitalizing booster massage
- Click-Position-System
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Chrome-plated

### Shower Rail: Techno 24 Free Fixation

- Minimalistic design
- Ø 24 mm, 90 cm Free fixation
- Ergonomic slider with comfortable release button
- Firm slide bar traction
- Easy installation
- Chrome-plated brass
- Chrome-plated slider

### Shower hose:

- Chrome-plated EN 1113 150 cm hose with swivel



## XL Techno 95 3S Kit A764.TX.042.05N

### Handshower: XL Techno 95 3S Massage


- Ultra slim, minimalistic and timeless design
- Ø 95 mm
- 3 adjustable sprays: rain, hard rain, and revitalizing booster massage
- Click-Position-System
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Chrome-plated

### Shower Rail: Techno Twist 24

- Flat design - strict minimalistic design
- Ø 24 mm, 90 cm
- Ergonomic slider with comfortable release button
- Firm slide bar traction
- Easy installation
- Chrome-plated brass
- Chrome-plated slider

### Shower hose:

- Chrome-plated EN 1113 150 cm hose with swivel



Shower Kit  
Slide Bar

■ Fresh Shower Kit  
D755.XT.011.05F  
D755.XT.012.05F

### Fresh Shower Kit 1

- Ø 95 mm
- Fresh 95 mm single function hand shower
- Flow regulator included
- Fresh slide bar 90 cm mobile fixation
- Shower hose 150 cm
- Soap dish crystal

### Fresh Shower Kit 3


- Ø 95 mm
- Fresh 95mm multi function hand shower
- 3 adjustable sprays: soft rain, hard rain, and massage
- Flow regulator included
- Fresh slide bar 90 cm mobile fixation
- Shower hose 150 cm
- Soap dish crystal



Fresh Shower Kit 1 (Single F)  
D 7 5 5 . X T . 0 1 1 . 0 5 F




Fresh Shower Kit 3 (Multi F)  
D 7 5 5 . X T . 0 1 2 . 0 5 F



■ Pure 90 Slide Bar  
A780.00.000.05N

- Flat design with consequent lines - timeless
- 90 cm
- Ergonomic slider with comfortable release button
- Firm slide bar traction
- Adjustable wall mounts
- Easy installation
- Chrome plated brass
- Chrome plated slider







■ Head Shower


## Head Shower



### Piano Duo 200 LED

B4605QDN


- Ø 200 mm
- Two functions: Rain and Blade
- LED/Turbine Technology: No electric supply needed (powered by internal turbine)
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Includes installation kit
- Chrome plated ABS / stainless steel



### Luce 180 LED

B4805N

- Ø 180 mm
- Minimalistic - ultra slim design
- LED/Turbine Technology: No electric supply needed (powered by internal turbine)
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Energy efficient
- Flow limited to 12 l/min
- Without wall mounting kit
- Chrome plated ABS




Airdrop®

### Tronico 250 LED Airdrop®

B4705LEDN


- Ø 250 mm
- LED/Turbine Technology: No electric supply needed (powered by internal turbine)
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Includes installation kit
- Chrome plated brass / ABS



### Luce Shower Arm

B46.B37.000.05N

- 400 mm
- Fixed shower arm for Luce 180 LED
- Organic design
- Brass chrome plated



■ Tronico






## Head Shower: Piano



### Piano Rectangle 500 x 370

BP5037R05N



- 500 mm x 370 mm
- Ultraslim, 2 mm thickness
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Flow limited to 16l/min
- Swivel - ball joint mount
- Chrom plated stainless steel



### Piano Quadro 500

BP500Q05N


- 500 mm x 500 mm
- Ultraslim, 2 mm thickness
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Flow limited to 16l/min
- Swivel - ball joint mount
- Chrom plated stainless steel




### Piano Techno 500

BP500T05N

- Ø 500 mm
- Ultraslim, 2 mm thickness
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Flow limited to 16l/min
- Swivel - ball joint mount
- Chrom plated stainless steel




## Head Shower: Piano



**Piano Quadro 400**

**BP400Q05N**



- 400 mm x 400 mm
- Ultraslim, 2 mm thickness
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- Nikles Easy-to-clean technology
- Flow limited to 12l/min
- Swivel - ball joint mount
- Chrom plated stainless steel



**Piano Quadro 300 Airdrop®**

**BP300Q05N**


- 300 mm x 300 mm
- Ultraslim, 2 mm thickness
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- Nikles Easy-to-clean technology
- Flow limited to 12l/min
- Swivel - ball joint mount
- Chrom plated stainless steel



**Piano Techno 400**

**BP400T05N**


- Ø 400 mm
- Ultraslim, 2 mm thickness
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- Nikles Easy-to-clean technology
- Flow limited to 12l/min
- Swivel - ball joint mount
- Chrom plated stainless steel



**Piano Techno 300 Airdrop®**

**BP300T05N**

- Ø 300 mm
- Ultraslim, 2 mm thickness
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- Nikles Easy-to-clean technology
- Flow limited to 12l/min
- Swivel - ball joint mount
- Chrom plated stainless steel




## Head Shower: Piano



**Piano Quadro 250 Airdrop®**

**BP250Q05N**


- 250 mm x 250 mm
- Ultraslim, 2 mm thickness
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- Nikles Easy-to-clean technology
- Flow limited to 12l/min
- Swivel - ball joint mount
- Chrom plated stainless steel



**Piano Quadro 200 Airdrop®**

**BP200Q05N**


- 200 mm x 200 mm
- Ultraslim, 2 mm thickness
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- Nikles Easy-to-clean technology
- Flow limited to 12l/min
- Swivel - ball joint mount
- Chrom plated stainless steel



**Piano Techno 250 Airdrop®**

**BP250T05N**


- Ø 250 mm
- Ultraslim, 2 mm thickness
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- Nikles Easy-to-clean technology
- Flow limited to 12l/min
- Swivel - ball joint mount
- Chrom plated stainless steel



**Piano Techno 200 Airdrop®**

**BP200T05N**

- Ø 200 mm
- Ultraslim, 2 mm thickness
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- Nikles Easy-to-clean technology
- Flow limited to 12l/min
- Swivel - ball joint mount
- Chrom plated stainless steel




## Head Shower: Pearl



### Pearl Circle 250

**B3805N**


- Contemporary organic form
- 250 mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Oscillating
- Chrome plated ABS



### Pearl Quadro 250

**B3905N**


- Contemporary organic form
- 250 mm x 250 mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Oscillating
- Chrome plated ABS



### Pearl Rectangle 250 x 200

**B4005N**

- Contemporary organic form
- 250 mm x 200 mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Oscillating
- Chrome plated ABS






## Head Shower: 300 mm



### ■ Quadrolight 300 LED

D4105N


- 300 mm x 300 mm
- LED/Turbine Technology: No electric supply needed (powered by internal turbine)
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Energy saving
- MIN flow 12l/min, pressure 0.7 bar
- Install in minutes to standard (3/4") shower pipes
- Swivel - ball joint mount
- ABS chrome plating



### ■ XL Quadro Head 300

A4905N


- 300 mm x 300 mm
- Minimalistic - ultra slim design
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- Nikles Easy-to-clean technology
- Energy efficient
- Flow limited to 12 l/min
- Without wall mounting kit
- Brass chrome plated



### ■ Technolight 300 LED

D4005N


- Ø 300 mm
- LED/Turbine Technology: No electric supply needed (powered by internal turbine)
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Energy saving
- MIN flow 12l/min, pressure 0.7 bar
- Install in minutes to standard (3/4") shower pipes
- Swivel - ball joint mount
- ABS chrome plating



### ■ XL Techno Head 300

A3705N

- Ø 300 mm
- Minimalistic - ultra slim design
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- Nikles Easy-to-clean technology
- Energy efficient
- Flow limited to 12 l/min
- Without wall mounting kit
- Brass chrome plated





## Head Shower: 250 mm - 105 mm



**XL Quadro 250**

**A4055N**


- Minimalistic and timeless design
- Fully chrome-plated
- 250 mm x 250 mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Oscillating
- Without wall mounting



**Quadro Soft Head 200**

**B3205N**


- Ultra slim design
- Rounded edges
- 200 mm x 200 mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Oscillating
- Chrome plated brass



**XL Techno 250**

**A3955N**


- Minimalistic and timeless design
- Fully chrome-plated
- Ø 250 mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Oscillating
- Without wall mounting



**Pure 105 Ecocomfort Airdrop©**


**B3305EN**

- Minimalistic - timeless design
- Ø 105 mm
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- Airdrop© technology providing the ultimate refreshing yet gentle shower experience by mixing air and water
- Nikles Easy-to-clean technology
- Flow limited to 6l/min
- Fully chrome plated



**Airdrop®**


## Head Shower: 200 mm



### XL Quadro Head 200

B3005N


- Ultra slim design
- 200 mm x 200 mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Oscillating
- Full chrome



### Fresh 200 Square

D3105F


- Minimalistic and timeless design
- Fully chrome-plated
- 200 mm x 200 mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Energy saving
- Flow regulator included



### XL Techno Head 200

B3105N


- Ultra slim design
- Ø 200 mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Oscillating
- Full chrome



### Fresh 200 Round

D3005F

- Minimalistic design
- Fully chrome-plated
- Ø 200 mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Energy saving
- Flow regulator included








■ H a n d   S h o w e r




## Hand Shower:



**Tronico 130 Airdrop®**

**B0505N**


- Ø 130 mm
- Minimalistic-timeless design
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- Nikles Easy-to-Clean technology
- Flow limited to 12 l/min
- Fully chrome-plated



**Tronico 105 Airdrop®**

**B0405N**

- Ø 105 mm
- Minimalistic-timeless design
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- Nikles Easy-to-Clean technology
- Flow limited to 12 l/min
- Fully chrome-plated




**Pure 105 Airdrop®**

**A1705N**

- Ø 105 mm
- Minimalistic-timeless design
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- Nikles Easy-to-Clean technology
- Flow limited to 12 l/min
- Fully chrome-plated




**CODE: A1700N**  
WHITE



**Pure 105 Duo Airdrop®**

**A1705QDN**


- Ø 105 mm
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- 2 Adjustable sprays: Rain and Booster Massage
- Click-Position-System
- Nikles Easy-to-Clean technology
- Flow limited to 12 l/min
- Fully chrome-plated



**Pure 105 Soft Airdrop®**

**B1705N**

- Ø 105 mm
- Minimalistic-timeless design, curvy edges
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- Nikles Easy-to-Clean technology
- Flow limited to 12 l/min
- Fully chrome-plated




**Pure 105 Ecocomfort Airdrop®**

**A1705EN**

- Ø 105 mm
- Minimalistic-timeless design
- Airdrop® Technology - with enhanced air and water mixing system producing a soft and refreshing shower spray
- Nikles Easy-to-Clean technology
- Flow limited to 6 l/min
- Fully chrome-plated



## Head Shower:



### Stilo

- Cylindrical stick shower design
- Ø 24 mm x 220 mm
- Wide angle spray plate
- Nikles Easy-to-clean technology
- Energy efficient
- Flow limited to 12 l/min
- Chrome plated


### A0105N



### Stilo Duo

- Cylindrical stick shower design
- Ø 32 mm x 180 mm
- 2 Adjustable sprays: Rain and Booster Massage
- Wide angle spray plate
- Nikles Easy-to-Clean technology
- Energy efficient
- Flow limited to 12 l/min
- Chrome plated


### A0905N



### Stick Quadro

- Square stick shower design
- 25 mm x 25 mm x 204 mm
- Wide angle spray plate
- Nikles Easy-to-Clean technology
- Energy saving
- Flow limited to 12 l/min
- Chrome-plated brass


### B1405N



### Stick

- Cylindrical stick shower design
- Ø 25 mm x 187 mm
- Wide angle spray plate
- Nikles Easy-to-Clean technology
- Energy saving
- Flow limited to 12 l/min
- Thermo-insulated handle
- Chrome-plated brass


### B1505N



### Flat Clean

- Minimalistic & slim design
- Ultra flat construction
- Spray plate with 15° negative angle
- Nikles Easy-to-Clean technology
- Energy saving
- Flow limited to 12 l/min
- Fully chrome-plated

### A1905N




### Flat Clean White

- Minimalistic & slim design
- White
- Ultra flat construction
- Spray plate with 15° negative angle
- Nikles Easy-to-Clean technology
- Energy saving
- Flow limited to 12 l/min

### A1900N


## Hand Shower:



**Pearl Rectangle**

**D1305N**


- Faceplate 50 mm x 100 mm, 240 mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Nikles Easy-to-clean technology
- Flow limited to 12 l/min
- Chrome plated



**XL Techno 95 3S Massage**

**A1205QM**


- Strict minimalistic design - consequent lines - timeless
- Ø 95 mm
- 3 adjustable sprays: rain, hard rain, and booster massage function
- Click positioning system
- Nikles Easy-to-clean technology
- Energy saving
- Flow limited to 12 l/min
- Chrome plated



**Fresh 95**

**D1205F**


- Strict minimalistic design - consequent lines - timeless
- Ø 95 mm
- Intelligent water distribution - lowest water consumption without loss of comfort
- Energy efficient
- Flow limited to 12 l/min
- Chrome plated



**Fresh 95 3S Massage**

**D1205QMF**

- Strict minimalistic design - consequent lines - timeless
- Ø 95 mm
- 3 adjustable sprays: rain, hard rain, and booster massage function
- Intelligent water distribution - lowest water consumption without loss of comfort
- Energy efficient
- Flow limited to 12 l/min
- Chrome plated



**Fresh 95 LED**

**D1205LEDF**

- Strict minimalistic design - consequent lines - timeless
- Ø 95 mm
- LED-Turbine technology
- Intelligent water distribution - lowest water consumption without loss of comfort
- Energy efficient
- Flow limited to 12 l/min
- Chrome plated






■ Accessories




## Accessories:



### Chrome Shower Hose

S06

- 125 / 150 / 175 cm
- PVC reinforced 5 layers with super strong polyester yarn
- EN 1113



### Shower Hose with 2mm Band

S04

- 125 / 150 / 175 cm
- PVC shower hose with 2mm silver foil, smooth surface
- EN 1113



### Quadro Shower Hose with 2mm Band

S22

- 125 / 150 / 175 cm
- PVC quadro shower hose with 2mm silver foil, smooth surface
- EN 1113



### Wall Bracket Techno Fix

8605N


- Fixed wall bracket
- Chrome plated



### Wall Bracket Pure

A5305N

- Fixed wall bracket
- Chrome plated



### Wall Bracket with Water Outlet

297005N

- Fixed wall bracket with integrated water outlet
- Chrome plated

## Accessories:



### ■ Wall Elbow Techno

298605N


- Wall elbow ½", 90°
- Brass chrome plated



### ■ Wall Elbow Quadro

298805N

- Wall elbow ½", 90°
- Brass chrome plated



### ■ XL 100mm Ceiling Arm

A48.C10.000.05N


- Ø24mm, 100mm
- Brass chrome plated



### ■ XL Shower Arm 120mm

A48.B12.000.05N


- Ø24mm, 120mm
- Brass chrome plated



### ■ XL Quadro Arm 300mm

A46.B30.000.05N


- 25mm x 25mm, 300mm
- Brass chrome plated



### ■ XL Quadro Arm 450mm

A46.B45.000.05N

- 25mm x 25mm, 450mm
- Brass chrome plated



## Nikles Group & Certifications



Sales International  
**Nikles Inter AG**

Arlesheimerstrasse 5  
CH-4147 Aesch / Basel  
Switzerland  
Tel. +41 61 726 88 66  
Fax +41 61 726 88 69

info@nikles.com  
www.nikles.com




**ACS**



### Nikles Tec Italia Srl

Via Alessandro Volta, 2  
Z.I. Cornali, I-25013 Carpenedolo  
- (BS)  
Italy  
Tel. +39 030 969 87 16  
Fax +39 030 996 65 05

info@nikles.com  
www.nikles.com



### Nikles (Xiamen) Shower Components Co.,Ltd.

Building 15, No.2881 Dongfu Road  
Haitou Dongfu Industrial Park,  
Haicang Zone - 361027 Xiamen City  
China  
Tel. +86 592 6195961  
Fax +86 592 6195969

info@nikles.com  
www.nikles.com



### Nikles Showers (Thailand) Co.,Ltd.

10 Soi Onnuch 74/4 Pravat,  
Pravat, Bangkok 10250  
Thailand  
Tel. +66 2 721 7302  
Fax +66 2 721 7300

info@nikles.com  
www.nikles.com



### Nikles Tubes GmbH

Rudolf-Diesel-Str. 5  
DE-46282 Dorsten  
Germany  
Tel. +49 2362 202 450  
Fax +49 2362 202 369

info@nikles.com  
www.nikles.com

DISTRIBUTED BY:



駱克道345號  
 t/3106-6008 / 2893-9118
 駱克道332號  
 t/2834-1661
 駱克道287號  
 t/2923-5090
 駱克道193號  
 t/2156-0388
 1號電器街/星街  
 t/3102-0808
 上海街664號  
 t/2394-4411
 澳門雅廉訪大馬路12號  
 t/(853)2833-2565

[www.ebon.com.hk](http://www.ebon.com.hk)

所有因人為疏忽、不正確安裝、錯用清潔物料而導致貨品損壞均不會由賣方負責。生產商因應產品改進而更正有關規格及條款不會先行通知。目錄內所有資料祇供參考，以產品實辦為準。(所有中文條文祇作參考，而以英文為準)  
 The **Seller** shall be under no liability for any loss or damage resulting from misuse, neglect, omission or corrosion due to abnormal exposure to chemicals, adverse environment, accident to the product, force majeure or improper installation.  
**Manufacturers** may change specifications, terms and conditions without prior notice, products shown in the corresponding catalogue are for reference only. No warranty nor guarantee, expressed or implied is given.

支持環保，閱後請轉贈他人。 Be eco-friendly, please pass this along to a friend.



Nikles Inter AG  
 P.O. Box, Arlesheimerstrasse 5  
 CH-4147 Aesch / Basel, Switzerland  
 Tel: +41 61 726 88 66 Fax: +41 61 726 88 69  
[www.nikles.com](http://www.nikles.com)